



THIS ITEM IS SUPPLIED AS A MATCHED PAIR
- TWO HANDLES PER ORDER.

SUPPLIED WITH TWO (2) SHOULDER BOLTS
AND FOUR (4) SET SCREWS.

HOLES CORRESPONDING TO CNTR TO CNTR
DIMENSION SHOULD BE INSTALLED TO
A TOLERANCE OF +/- .010.

NOTE: ALTERNATE METHODS FOR ATTACH-
MENT ARE AVAILABLE.

| TRIMCO PART # | A MAT'L DIA | B CNTR TO CNTR | C CLEARANCE | D RADIUS |
|---------------|-------------|----------------|-------------|----------|
| 1150G | 1/2 | 6 | 1 1/2 | 1/4 |
| 1151G | 1/2 | 8 | 1 1/2 | 1/4 |
| 1194G-1 | 3/4 | 6 | 1 7/8 | 3/8 |
| 1194G-2 | 3/4 | 8 | 1 7/8 | 3/8 |
| 1194G-3 | 3/4 | 10 | 1 7/8 | 3/8 |
| 1194G-4 | 3/4 | 12 | 1 7/8 | 3/8 |
| 1194G-5 | 3/4 | 14 | 2 | 3/8 |
| 1194G-6 | 3/4 | 16 | 2 | 3/8 |
| 1194G-7 | 3/4 | 18 | 2 | 3/8 |
| 1195G-1 | 1 | 8 | 2 3/16 | 1/2 |
| 1195G-2 | 1 | 10 | 2 3/16 | 1/2 |
| 1195G-3 | 1 | 12 | 2 3/16 | 1/2 |
| 1195G-4 | 1 | 14 | 2 3/16 | 1/2 |
| 1195G-5 | 1 | 16 | 2 3/16 | 1/2 |
| 1195G-6 | 1 | 18 | 2 3/16 | 1/2 |
| 1195G-3J | 1 1/4 | 12 | 2 3/8 | 5/8 |
| 1195G-6J | 1 1/4 | 18 | 2 3/8 | 5/8 |

➡ **TABLE CONTINUED ON SHEET 2 OF 2**

2-14-12 Revision replaces 5-12-06 version. 2-14-12 Revision creates 1191N-20 thru -48 (even numbers only) Configurations, adds "Note: Alternative methods for attachment are available", and adds note detailing hole cntr to cntr drilling tolerance.



CONTINUATION OF CONFIGURATION TABLE FROM SHEET 1 OF 2:

| TRIMCO PART # | A MAT'L DIA | B CNTR TO CNTR | C CLEARANCE | D RADIUS |
|------------------|----------------|-------------------|----------------|-------------|
| 1195G-20 | 1 | 20 | 2 3/16 | 1 |
| 1195G-22 | 1 | 22 | 2 3/16 | 1 |
| 1195G-24 | 1 | 24 | 2 3/16 | 1 |
| 1195G-26 | 1 | 26 | 2 3/16 | 1 |
| 1195G-28 | 1 | 28 | 2 3/16 | 1 |
| 1195G-30 | 1 | 30 | 2 3/16 | 1 |
| 1195G-32 | 1 | 32 | 2 3/16 | 1 |
| 1195G-34 | 1 | 34 | 2 3/16 | 1 |
| 1195G-36 | 1 | 36 | 2 3/16 | 1 |
| 1195G-38 | 1 | 38 | 2 3/16 | 1 |
| 1195G-40 | 1 | 40 | 2 3/16 | 1 |
| 1195G-42 | 1 | 42 | 2 3/16 | 1 |
| 1195G-44 | 1 | 44 | 2 3/16 | 1 |
| 1195G-46 | 1 | 46 | 2 3/16 | 1 |
| 1195G-48 | 1 | 48 | 2 3/16 | 1 |